Author Index

ABRAHAM, E. & CHANG, Y.-H. Haemorrhage-induced alterations in function and cytokine production of T cells and T cell subpopulations, 497
ACHARYA, S.K. *see* MISHRA, A.
AGOSTINI, D. *see* CAPOBIANCHI, M.R.
AMBRUS, J. *see* LEVY, E.
ANDREW, E. *see* CHU, C.Q.
ANGUS, H.B. *see* ELLIS, P.A.
ANNENKOV, A.Y., STROKOV, A.G. & BARANOVA, F.S. Alterations in mononuclear cell tumour necrosis factor-alpha (TNF-α) response in patients on long term cuprophane haemodialysis, 49
AOTSUKA, S. *see* OKAWA-TAKATSUJI, M.
ARAKAWA, M. *see* ITO, S.
ARMSTRONG, N., CIGEL, F., BORCHERDING, W., HONG, R. & MALKOVSKA, V. *In vitro* preactivated human T cells engraft in SCID mice and migrate to murine lymphoid tissues, 476
ASHANY, D., HINES, J.J., GHARAVI, A.E., MOURADIAN, J., DRAPPA, J. & ELKON, K.B. MRL/*lpr*→severe combined immunodeficiency mouse allografts produce autoantibodies, Acute graft-*versus*-host disease or a wasting syndrome depending on the source of cells, 466

BABBS, C. *see* BLANN, A.D.
BACH, B.A. *see* LEVACHER, M.
BAEUERLE, P.A. *see* SCHRECK, R.
BAHR, G.M. *see* SCHRECK, R.
BAKER, D., O'NEILL, J.K., DAVISON, A.N. & TURK, J.L. Control of immune-mediated disease of the central nervous system requires the use of a neuroactive agent; elucidation of the action of mitoxantrone, 124
BAKIMER, R. *see* FISHMAN, P.
BAKKE, A.C. *see* BENNETT, R.M.
BANGA, J.P. *see* EWINS, D.L.
BARANOVA, F.S. *see* ANNENKOV, A.Y.
BARNETT, P.S. *see* EWINS, D.L.
BARRETT, K. *see* FOXWELL, B.M.J.
BASE, B. *see* VAN DE GRIEND, I.A.
BATE, C.A.W. *see* TAYLOR, K.
BATSFORD, S. *see* SCHMIEDEKE, T.
BAUMERT, E., WOLFF-VORBECK, G., SCHLESIER, M. & PETER, H.H. Immunophenotypical alterations in a subset of patients with common variable immunodeficiency (CVID), 25
BECKER, E.W. *see* LANG, P.
BEEM, E.M. *see* OTTEN, H.G.
BELL, S.J.D., COOPER, D.A., KEMP, B.E., DOHERTY, R.R. & PENNY, R. Heterogeneous effects of exogenous Il-2 on HIV-specific cell-mediated immunity (CMI), 6
BENNETT, R.M., CORNELL, K.A., MERRITT, M.J., BAKKE, A.C., MOURICH, D. & HEFENEIDER, S.H. Idiotypic mimicry of a cell surface DNA receptor: evidence for anti-DNA antibodies being a subset of anti-anti-DNA receptor antibodies, 428
BERG, P.A. *see* LANG, P.
BERTOLLO, L. *see* PAGANELLI, R.
BEVEC, D. *see* SCHRECK, R.
BIRD, A.G. & WATRET, K.C. CD8 T lymphocyte subset markers and HIV infection, 355
BISHOP, S.A., WILLIAMS, N.A., GRUFFYDD-JONES, T.J., HARBOUR, D.A. & STOKES, C.R. An early defect in primary and secondary T cell responses in asymptomatic cats during acute feline immunodeficiency virus (FIV) infection, 491
BJÖRKANDER, J. *see* LINDE, A.
BLAKE, D.R. *see* STEVENS, T.R.J.
BLANK, M. *see* FISHMAN, P.
BLANN, A.D., BABBS, C. & NEUBERGER, J.M. Endothelial cell damage in primary biliary cirrhosis: influence of cholestasis and immunological mechanisms, 88
BONARA, P. *see* CAPSONI, F.
BONNEFOY, J. *see* KARKAR, A.M.
BORCHERDING, W. *see* ARMSTRONG, N.
BORG, E.J. TER *see* SPRONK, P.E.
BORGSTEIN, A. *see* TAYLOR, T.E.
BORNE, A.E.G. KR. VON DEM *see* VAN DE WIEL, B.A.
BREEDVELD, F.C. *see* OTTEN, H.G.
BREIT, S.N. *see* THORNTON, S.C.
BROWN, D.L. *see* KEOGAN, M.T.
BRUMMER-KORVENKONTIO, M. *see* WANGEL, A.G.
BUGGINS, A.G.S. *see* PEAKMAN, M.
BUTCHER, G.A. *see* TAYLOR, K.

CADORÉ, J.L. *see* CORDIER, G.
CAMPONESCHI, B. *see* PUGLIESE, O.
CAMPS, J.A.J. *see* HALMA, C.
CAPOBIANCHI, M.R., FAIS, S., PAOLO, M.C. DI, AGOSTINI, D., PAOLUZI, P., PALLONE, F. & DIANZANI, F. Absence of circulating interferon in patients with inflammatory bowel disease. Suggestion against an autoimmune etiology, 85
CAPRILLI, F. *see* PUGLIESE, O.
CAPSONI, F., MINONZIO, F., ONGARI, A.M., COLOMBO, G., RIZZARDI, G.P., BONARA, P., D'ARMINIO-MONFORTE, A. & ZANUSSI, C. Increased expression of IgG Fc receptor type I on neutrophils and monocytes from HIV-infected subjects, 175
CARR, R.E. *see* TAYLOR, K.
CASHMAN, S.J. *see* KARKAR, A.M.
CASTES, M. *see* SANTANA-BLANK, L.A.
CATTELL, V. *see* SEVER, R.
CAVACINI, L.A., KENNEL, M., LALLY, E.V., POENER, M.R. & QUINN, A. Human immunoglobulin production in immunodeficient mice: enhancement by immunosuppression of host and *in vitro* activation of human mononuclear cells, 135
CAYOTA, A. *see* SCOTT-ALGARA, D.
CHAN, C.H.S. *see* LEUNG, J.C.K.
CHANG, Y.-H. *see* ABRAHAM, E.
CHAPMAN, M. *see* HUSSAIN, L.A.
CHEDID, L. *see* SCHRECK, R.
CHERSI, A. *see* PUGLIESE, O.
CHOUGNET, C., TALLET, S., RINGWALD, P. & DELORON, P. Kinetics of lymphocyte subsets from peripheral blood during a *Plasmodium faciparum* malaria attack, 405
CHU, C.Q., FIELD, M., ANDREW, E., HASKARD, D., FELDMAN, M. & MAINI, R.N. Detection of cytokines at the site of tuberculin-induced delayed-type hypersensitivity in man, 522
CHUI, Y.L. *see* LEUNG, J.C.K.
CIGEL, F. *see* ARMSTRONG, N.
CILLARI, E. *see* VITALE, G.
CLARK, K. *see* LIN, Y.
CLARK, M. *see* VAN DE GRIEND, I.A.
COFINER, C. *see* LOIZOU, S.
COGNÉ, M. *see* LEDUC, I.
COLIZZI, V. *see* PUGLIESE, O.
COLLIE, D. *see* WATT, N.J.
COLLS, B.M. *see* ELLIS, P.A.
COLOMBO, G. *see* CAPSONI, F.
COOK, T. *see* SEVER, R.
COOKE, A. *see* KNIGHT, B.
COOPER, D.A. *see* BELL, S.J.D.
CORDIER, G., GUIGUEN, F., CADORÉ, J.L., COZON, G., JACQUIER, M.F. & MORNEX, J.F. Characterization of the lymphocytic alveolitis in visnamaedi virus-induced interstitial lung disease of sheep, 18
CORNELL, K.A. *see* BENNETT, R.M.
CORRIGALL, V. *see* JOBANPUTRA, P.
COSSARIZZA, A. *see* PAGANELLI, R.

COZON, G. *see* CORDIER, G.
COZZI, E. *see* PAGANELLI, R.
CRAFT, J. *see* KRATZ, A.
CROWE, S.M. *see* NEATE, E.V.
CUVELIER, C.A., DE WEVER, N., MIELANTS, H., DE VOS, M., VEYS, E.M. & ROELS, H. Expression of T cell receptors $\alpha\beta$ and $\gamma\delta$ in the ileal mucosa of patients with Crohn's disease and with spondylarthropathy, 275

D'AGOSTINO, R. *see* VITALE, G.
DAHA, M.R. *see* HALMA, C.
DAHA, M.R. *see* OTTEN, H.G.
DAHL, H. *see* LINDE, A.
D'APICE, A.J.F. *see* O'CONNELL, P.J.
D'ARMINIO-MONFORTE, A. *see* CAPSONI, F.
DASH, A.C. *see* KARKAR, A.M.
DAVISON, A.N. *see* BAKER, D.
DE CAROLIS, C. *see* PERRICONE, R.
DE GAST, B. *see* VAN DE GRIEND, I.A.
DELORON, P. *see* CHOUGNET, C.
DELVENTHAL, S., HENSEL, A., PETZOLDT, K. & PABST, R. Cellular changes in the bronchoalveolar lavage (BAL) of pigs, following immunization by the enteral or respiratory route, 223
DE ROOY, H.H. *see* OTTEN, H.G.
DE VOS, M. *see* CUVELIER, C.A.
DE WEVER, N. *see* CUVELIER, C.A.
DIANZANI, F. *see* CAPOBIANCHI, M.R.
DIELI, M. *see* VITALE, G.
DIETZ, A. *see* NÜSSLEIN, H.G.
DIGHIERO, G. *see* SCOTT-ALGARA, D.
DJALDETTI, M. *see* FISHMAN, P.
DOLMAN, K.M. *see* VAN DE WIEL, B.A.
DRAPPA, J. *see* ASHANY, D.
DUBERT, J.M. *see* ROSTOKER, G.
DUKOR, P. *see* SCHRECK, R.
DURGAPAL, H. *see* MISHRA, A.

EKDAHL, K. NILSSON *see* NILSSON, B.
ELKON, K.B. *see* ASHANY, D.
ELLIS, P.A., HART, D.N.J., COLLS, B.M., NIMMO, J.C., MACDONALD, J.E. & ANGUS, H.B. Hodgkin's cells express a novel pattern of adhesion molecules, 117
ELSAGHIER, A., PRANTERA, C., MORENO, C. & IVANYI, J. Antibodies to *Mycobacterium paratuberculosis*-specific protein antigens in Crohn's disease, 503
ERLINGER, S. *see* HALBWACHS-MECARELLI, L.
ESNAULT, V.L.M. *see* KEOGAN, M.T.
ESPERSEN, F. *see* PRESSLER, T.
EVANGELISTA, M. *see* PUGLIESE, O.
EVERS-SCHOUTEN, J.H. *see* HALMA, C.
EWINS, D.L., BARNETT, P.S., RATANACHAIYAVONG, S., SHARROCK, C., LANCHBURY, J., MCGREGOR, A.M. & BANGA, J.P. Antigen-specific T cell recognition of affinity-purified and recombinant thyroid peroxidase in autoimmune thyroid disease, 93

FAGIOLO, U. *see* PAGANELLI, R.
FAIS, S. *see* CAPOBIANCHI, M.R.
FEI, P. CORDIALI *see* PUGLIESE, O.
FELDMAN, M. *see* CHU, C.Q.
FELDMANN, M. *see* FOXWELL, B.M.J.
FELLOWES, R. *see* HUSSAIN, L.A.
FIELD, M. *see* CHU, C.Q.
FILIPOVICH, A.H. *see* MONAFO, W.J.
FISHMAN, P., BAKIMER, R., BLANK, M., SREDNI, D., DJALDETTI, M. & SHOENFELD, Y. The putative role of cytokines in the induction of primary anti-phospholipid syndrome in mice, 266
FISICARO, N. *see* O'CONNELL, P.J.
FOMSGAARD, A. *see* PRESSLER, T.
FONTANA, E. *see* PERRICONE, R.
FORSYTHE, J.L.R. *see* LIN, Y.
FOXWELL, B.M.J., BARRETT, K. & FELDMANN, M. Cytokine receptors: structure and signal transduction, 161
FRANCESCHI, C. *see* PAGANELLI, R.
FUJIWARA, M. *see* ITO, S.

GAMBINO, G. *see* VITALE, G.
GARRED, P., THIEL, S., MADSEN, H.O., RYDER, L.P., JENSENIUS, J.C. & SVEJGAARD, A. Gene frequency and partial protein characterization of an allelic variant of mannan binding protein associated with low serum concentrations, 517
GEERARS, A. *see* VAN DE GRIEND, I.A.
GHARAVI, A.E. *see* ASHANY, D.
GILLY, B. *see* GISSLINGER, H.
GISSLINGER, H., GILLY, B., WOLOSZCZUK, W., MAYR, W.R., HAVELEC, L., LINKESCH, W. & WEISSEL, M. Thyroid autoimmunity and hypothyroidism during long-term treatment with recombinant interferon-alpha, 363
GOLDRING, J.D. *see* TAYLOR, T.E.
GOLDSCHMEDING, R. *see* VAN DE WIEL, B.A.
GREEN, A.J. *see* KEOGAN, M.T.
GREENHALGH, A.M. *see* NEATE, E.V.
GRUBB, R. *see* LINDE, A.
GRUFFYDD-JONES, T.J. *see* BISHOP, S.A.
GRÜNFELD, J.P. *see* HALBWACHS-MECARELLI, L.
GUERRA, E. *see* PAGANELLI, R.
GUIGUEN, F. *see* CORDIER, G.

HACK, C.E. *see* VAN DE WIEL, B.A.
HALBWACHS-MECARELLI, L., NUSBAUM, P., NOËL, L.H., REUMAUX, D., ERLINGER, S., GRÜNFELD, J.P. & LESAVRE, P. Antineutrophil cytoplasmic antibodies (ANCA) directed against cathepsin G in ulcerative colitis, Crohn's disease and primary sclerosing cholangitis, 79
HALMA, C., DAHA, M.R., CAMPS, J.A.J., EVERS-SCHOUTEN, J.H., PAUWELS, E.K.J. & VAN ES, L.A. Deficiency of complement component c3 is associated with accelerated removal of soluble ^{123}I-labelled aggregates of IgG from the circulation, 394
HAMBLIN, A.S. *see* SHAKOOR, Z.
HAMMARSTRÖM, L. *see* LINDE, A.
HANAWA, H. *see* KODAMA, M.
HANDSCHUMACHER, R.E. *see* KRATZ, A.
HARBOUR, D.A. *see* BISHOP, S.A.
HARDING, M.W. *see* KRATZ, A.
HART, D.N.J. *see* ELLIS, P.A.
HASKARD, D. *see* CHU, C.Q.
HAVELEC, L. *see* GISSLINGER, H.
HECHT, E.-M. *see* HUSSAIN, L.A.
HEFENEIDER, S.H. *see* BENNETT, R.M.
HENSEL, A. *see* DELVENTHAL, S.
HØIBY, N. *see* PRESSLER, T.
HINES, J.J. *see* ASHANY, D.
HINO, S. *see* YOSHIOKA, K.
HO, R.T.H. *see* LEUNG, J.C.K.
HOLERS, V.M. *see* LEVY, E.
HOLMSKOV, U. *see* THIEL, S.
HOMMEL, M. *see* TAYLOR, T.E.
HONDA, E. *see* YOSHIOKA, K.
HONG, R. *see* ARMSTRONG, N.
HOOGENDOORN, L.I. *see* OTTEN, H.G.
HULSTAERT, F. *see* LEVACHER, M.
HUSSAIN, L.A., KELLY, C.G., FELLOWES, R., HECHT, E.-M., WILSON, J., CHAPMAN, M. & LEHNER, T. Expression and gene transcript of Fc receptors for IgG, HLA class II antigens and Langerhans cells in human cervico-vaginal epithelium, 530
HUTCHINGS, P. *see* KNIGHT, B.
HVIID, L. *see* THIEL, S.

IBRAHIM, M.A. *see* KNIGHT, B.
IMURA, H. *see* MURAKAMI, M.
ISENBERG, D.A. *see* KNIGHT, B.
ITO, S., UENO, M., NISHI, S., ARAKAWA, M. & FUJIWARA, M. Suppression of spontaneous murine lupus by inducing graft-*versus*-host reaction with $CD8^+$ cells, 260
IVANYI, J. *see* ELSAGHIER, A.
IWAI, K. *see* MURAKAMI, M.
IWANAGA, T. *see* KAWACHI, H.

JACQUIER, M.F. *see* CORDIER, G.
JARSTRAND, C. *see* RASOOL, O.
JENSENIUS, J.C. *see* GARRED, P.

JENSENIUS, J.C. *see* THIEL, S.
JOBANPUTRA, P., CORRIGALL, V., KINGSLEY, G. & PANAYI, G. Cellular responses to human chondrocytes: absence of allogeneic responses in the presence of HLA-DR and ICAM-1, 336

KAHL, L. *see* LEVY, E.
KALDEN, J.R. *see* NÜSSLEIN, H.G.
KALLENBERG, C.G.M. *see* SPRONK, P.E.
KARKAR, A.M., KOSHINO, Y., CASHMAN, S.J., DASH, A.C., BONNEFOY, J., MEAGER, A. & REES, A.J. Passive immunization against tumour necrosis factor-alpha (TNF-α) and IL-1β protects from LPS enhancing glomerular injury in nephrotoxic nephritis in rats, 312
KATZ, D.R. *see* KNIGHT, B.
KAWACHI, H., IWANAGA, T., TOYABE, S., OITE, T. & SHIMIZU, F. Mesangial sclerotic change with persistent proteinuria in rats after two consecutive injections of monoclonal antibody 1-22-3, 129
KELLY, C.G. *see* HUSSAIN, L.A.
KEMP, B.E. *see* BELL, S.J.D.
KENNEL, M. *see* CAVACINI, L.A.
KEOGAN, M.T., ESNAULT, V.L.M., GREEN, A.J., LOCKWOOD, C.M. & BROWN, D.L. Activation of normal neutrophils by anti-neutrophil cytoplasm antibodies, 228
KERAAN, M.M. *see* LORGAT, F.
KINGSLEY, G. *see* JOBANPUTRA, P.
KIRBY, J.A. *see* LIN, Y.
KITAMURA, H. *see* SHINGU, M.
KLEIN, R. *see* LANG, P.
KLOCKARS, M. & SAVOLAINEN, H. Tumour necrosis factor enhances the asbestos-induced production of reactive oxygen metabolites by human polymorphonuclear leucocytes (PMN), 68
KNIGHT, B., KATZ, D.R., ISENBERG, D.A., IBRAHIM, M.A., PAGE, S. LE, HUTCHINGS, P., SCHWARTZ, R.S. & COOKE, A. Induction of adjuvant arthritis in mice, 459
KOCH, C. *see* PRESSLER, T.
KODAMA, M., ZHANG, S., HANAWA, H. & SHIBATA, A. Immunohistochemical characterization of infiltrating mononuclear cells in the rat heart with experimental autoimmune giant cell myocarditis, 330
KOSHINO, Y. *see* KARKAR, A.M.
KRATZ, A., HARDING, M.W., CRAFT, J., MACKWORTH-YOUNG, C.G. & HANDSCHUMACHER, R.E. Autoantibodies against cyclophilin in systemic lupus erythematosus and Lyme disease, 422
KUMAGAI, S. *see* MURAKAMI, M.

LAGRUE, G. *see* ROSTOKER, G.
LAI, C. *see* RUMORE, P.
LAI, C.K.W. *see* LEUNG, J.C.K.
LAI, K.N. *see* LEUNG, J.C.K.
LALANI, S. *see* TEODORCZYK-INJEYAN, J.A.
LALLY, E.V. *see* CAVACINI, L.A.
LANCHBURY, J. *see* EWINS, D.L.
LANG, P., KLEIN, R., BECKER, E.W. & BERG, P.A. Distribution of the PBC-specific- (M2) and the naturally-occurring mitochondrial antigen- (NOMAg) systems in plants, 509
LANG, P. *see* ROSTOKER, G.
LAURSEN, S.B. *see* THIEL, S.
LAYTON, D.M. *see* PEAKMAN, M.
LEDUC, I., PREUD'HOMME, J.-L. & COGNÉ, M. Structure and expression of the *mb-1* transcript in human lymphoid cells, 141
LEHNER, T. *see* HUSSAIN, L.A.
LERNER, R. *see* PALMBLAD, J.E.W.
LESAVRE, P. *see* HALBWACHS-MECARELLI, L.
LEUNG, J.C.K., LAI, C.K.W., CHUI, Y.L., HO, R.T.H., CHAN, C.H.S. & LAI, K.N. Characterization of cytokine gene expression in $CD4^+$ and $CD8^+$ T cells after activation with phorbol myristate acetate and phytohaemagglutinin, 147
LEVACHER, M., HULSTAERT, F., TALLET, S., ULLERY, S., POCIDALO, J.J. & BACH, B.A. The significance of activation markers on CD8 lymphocytes in human immunodeficiency syndrome: staging and prognostic value, 376
LEVY, E., AMBRUS, J., KAHL, L., MOLINA, H., TUNG, K. & HOLERS, V.M. T lymphocyte expression of complement receptor 2 (CR2/CD21): a role in adhesive cell–cell interactions and dysregulation in a patient with systemic lupus erythematosus (SLE), 235
LIMBURG, P.C. *see* SPRONK, P.E.
LIN, M. *see* RUMORE, P.
LIN, Y., KIRBY, J.A., CLARK, K., SHENTON, B.K., FORSYTHE, J.L.R., PROUD, G. & TAYLOR, R.M.R. Renal allograft rejection: induction and function of adhesion molecules on cultured epithelial cells, 111
LINDE, A., SÖDERSTRÖM, R., SMITH, C.I. EDVARD, SÄLLBERG, M., DAHL, H., GRUBB, R., BJÖRKANDER, J. & HAMMARSTRÖM, L. Herpesvirus serology, aberrant specific immunoglobulin G2 and G3 subclass patterns and Gm allotypes in individuals with low levels of IgG3, 199
LINKESCH, W. *see* GISSLINGER, H.
LOCKWOOD, C.M. *see* KEOGAN, M.T.
LOIZOU, S., COFINER, C., WEETMAN, A.P. & WALPORT, M.J. Immunoglobulin class and IgG subclass distribution of anticardiolipin antibodies in patients with systemic lupus erythematosus and associated disorders, 434
LORGAT, F., KERAAN, M.M. & RESS, S.R. Cellular immunity in tuberculous pleural effusions: evidence of spontaneous lymphocyte proliferation and antigen-specific accelerated responses to purified protein derivative (PPD), 215
LUNARDI, C., MARGUERIE, C. & SO, A.K. An altered repertoire of T cell receptor V gene expression by rheumatoid synovial fluid T lymphocytes, 403

MAARL, M.G.J. VAN DER *see* OTTEN, H.G.
MACDONALD, J.E. *see* ELLIS, P.A.
MACINTYRE, N. *see* WATT, N.J.
MACKWORTH-YOUNG, C.G. *see* KRATZ, A.
MADSEN, H.O. *see* GARRED, P.
MAINI, R.N. *see* CHU, C.Q.
MAKI, S. *see* YOSHIOKA, K.
MALKOVSKA, V. *see* ARMSTRONG, N.
MALTA, R. *see* VITALE, G.
MANIVEL, V. *see* MISHRA, A.
MANSUETO, S. *see* VITALE, G.
MARGUERIE, C. *see* LUNARDI, C.
MASSIMO, A.M. DI *see* PUGLIESE, O.
MATHER, A. *see* MONAFO, W.J.
MATSUSHIMA, K. *see* THOMPSON, H.L.
MAYR, W.R. *see* GISSLINGER, H.
MCCONNELL, I. *see* WATT, N.J.
MCDONALD, T.L. *see* SMITH, J.W.
MCGREGOR, A.M. *see* EWINS, D.L.
MCKENZIE, A. *see* O'CONNELL, P.J.
MCPHEE, D.A. *see* NEATE, E.V.
MEAGER, A. *see* KARKAR, A.M.
MEILLET, D. *see* ROSTOKER, G.
MERRITT, M.J. *see* BENNETT, R.M.
MIELANTS, H. *see* CUVELIER, C.A.
MILLS, G.B. *see* TEODORCZYK-INJEYAN, J.A.
MINONZIO, F. *see* CAPSONI, F.
MISHRA, A., DURGAPAL, H., MANIVEL, V., ACHARYA, S.K., RAO, K.V.S. & PANDA, S.K. Immune response to hepatitis B virus surface antigen peptides during HBV infection, 194
MIYASATO, H. *see* YOSHIOKA, K.
MOCCIARO, C. *see* VITALE, G.
MOLINA, H. *see* LEVY, E.
MOLYNEUX, M.E. *see* TAYLOR, T.E.
MONAFO, W.J., POLMAR, S.H., NEUDORF, S., MATHER, A. & FILIPOVICH, A.H. A hereditary immunodeficiency characterized by $CD8^+$ T lymphocyte deficiency and impaired lymphocyte activation, 390
MONTEFIORI, D.C., ZHOU, J. & SHAFF, D.I. CD4-independent binding of HIV-1 to the B lymphocyte receptor CR2 (CD21) in the presence of complement and antibody, 383
MONTI, D. *see* PAGANELLI, R.
MORENO, C. *see* ELSAGHIER, A.
MORNEX, J.F. *see* CORDIER, G.
MOURADIAN, J. *see* ASHANY, D.
MOURICH, D. *see* BENNETT, R.M.
MULLER, S. *see* SCHMIEDEKE, T.
MURAKAMI, M., KUMAGAI, S., SUGITA, M., IWAI, K. & IMURA, H. *In vitro* induction of IgG anti-DNA antibody from high density B cells of systemic lupus erythematosus patients by an HLA DR-restricted T cell clone, 245
MURALIDHAR, B. *see* RUMORE, P.

NEATE, E.V., GREENHALGH, A.M., MCPHEE, D.A. & CROWE, S.M. Bacterial lipopolysaccharide mediates the loss of CD4 from the surface of purified peripheral blood monocytes, 539
NEUBERGER, J.M. *see* BLANN, A.D.
NEUDORF, S. *see* MONAFO, W.J.
NICOLAIDES, K.H. *see* PEAKMAN, M.
NILSSON, B., EKDAHL, K. NILSSON, SJÖHOLM, A., NILSSON, U.R. & STURFELT, G. Detection and characterization of immunoconglutinins in patients with systemic lupus erythematosus (SLE): serial analysis in relation to disease course, 251
NILSSON, U.R. *see* NILSSON, B.
NIMMO, J.C. *see* ELLIS, P.A.
NISHI, S. *see* ITO, S.
NISHIMUKAI, H. *see* SHINGU, M.
NNALUE, N.A. *see* RASOOL, O.
NOBUNAGA, M. *see* SHINGU, M.
NOCCIOLI, G. *see* PERRICONE, R.
NOËL, L.H. *see* HALBWACHS-MECARELLI, L.
NONAKA, S. *see* SHINGU, M.
NUSBAUM, P. *see* HALBWACHS-MECARELLI, L.
NÜSSLEIN, H.G., TRÄG, T., WINTER, M., DIETZ, A. & KALDEN, J.R. The role of T cells and the effect of hydrocortisone on interleukin-4-induced IgE synthesis by non-T cells, 286

O'CONNELL, P.J., MCKENZIE, A., FISICARO, N., ROCKMAN, S.P., PEARSE, M.J. & D'APICE, A.J.F. Endoglin: a 180-kD endothelial cell and macrophage restricted differentiation molecule, 154
OITE, T. *see* KAWACHI, H.
OKAWA-TAKATSUJI, M., AOTSUKA, S., UWATOKO, S., SUMIYA, M. & YOKOHARI, R. The B cell repertoire in patients with systemic autoimmune diseases: analysis of Epstein—Barr virus (EBV)-inducible circulating precursors that produce autoantibodies against nuclear ribonucleoprotein (nRNP), 415
O'NEILL, J.K. *see* BAKER, D.
ONGARI, A.M. *see* CAPSONI, F.
ORTOLANI, C. *see* PAGANELLI, R.
OTTEN, H.G., DAHA, M.R., MAARL, M.G.J. VAN DER, HOOGENDOORN, L.I., BEEM, E.M., DE ROOY, H.H. & BREEDVELD, F.C. IgA rheumatoid factor in mucosal fluids and serum of patients with rheumatoid arthritis: immunological aspects and clinical significance, 256

PABST, R. *see* DELVENTHAL, S.
PAGANELLI, R., QUINTI, I., FAGIOLO, U., COSSARIZZA, A., ORTOLANI, C., GUERRA, E., SANSONI, P., PUCILLO, L.P., SCALA, E., COZZI, E., BERTOLLO, L., MONTI, D. & FRANCESCHI, C. Changes in circulating B cells and immunoglobulin classes and subclasses in a healthy aged population, 351
PAGE, S. LE *see* KNIGHT, B.
PALLONE, F. *see* CAPOBIANCHI, M.R.
PALMBLAD, J.E.W. & LERNER, R. Leukotriene B4-induced hyperadhesiveness of endothelial cells for neutrophils: relation to CD54, 300
PANAYI, G. *see* JOBANPUTRA, P.
PANDA, S.K. *see* MISHRA, A.
PANDEY, J.P. *see* PRESSLER, T.
PANERAI, A.E. *see* PERRICONE, R.
PAOLO, M.C. DI *see* CAPOBIANCHI, M.R.
PAOLUZI, P. *see* CAPOBIANCHI, M.R.
PASETTO, N. *see* PERRICONE, R.
PAUWELS, E.K.J. *see* HALMA, C.
PEAKMAN, M., BUGGINS, A.G.S., NICOLAIDES, K.H., LAYTON, D.M. & VERGANI, D. Analysis of lymphocyte phenotypes in cord blood from early gestation fetuses, 345
PEARSE, M.J. *see* O'CONNELL, P.J.
PEDERSEN, S.S. *see* PRESSLER, T.
PENNY, R. *see* THORNTON, S.C.
PENNY, R. *see* BELL, S.J.D.
PERRICONE, R., PASETTO, N., DE CAROLIS, C., VAQUERO, E., NOCCIOLI, G., PANERAI, A.E. & FONTANA, E. Cystic ovaries in women affected with hereditary angioedema, 401
PETER, H.H. *see* BAUMERT, E.
PETERS, W.J. *see* TEODORCZYK-INJEYAN, J.A.
PETIT-PHAR, M. *see* ROSTOKER, G.
PETZOLDT, K. *see* DELVENTHAL, S.
PLAYFAIR, J.H.L. *see* TAYLOR, K.
POCIDALO, J.J. *see* LEVACHER, M.
POLMAR, S.H. *see* MONAFO, W.J.
PRANTERA, C. *see* ELSAGHIER, A.
PRESSLER, T., PANDEY, J.P., ESPERSEN, F., PEDERSEN, S.S., FOMSGAARD, A., KOCH, C. & HØIBY, N. Immunoglobulin allotypes and IgG subclass antibody response to *Pseudomonas aeruginosa* antigens in chronically infected cystic fibrosis patients, 209
PREUD'HOMME, J.-L. *see* LEDUC, I.
PROUD, G. *see* LIN, Y.
PUCILLO, L.P. *see* PAGANELLI, R.
PUGLIESE, O., VIORA, M., CAMPONESCHI, B., FEI, P. CORDIALI, CAPRILLI, F., CHERSI, A., EVANGELISTA, M., MASSIMO, A.M. DI & COLIZZI, V. A gp120 HIV peptide with high similarity to HLA class II β chains enhances PPD-specific and autoreactive T cell activation, 170

QUINN, A. *see* CAVACINI, L.A.
QUINTI, I. *see* PAGANELLI, R.

RADEKE, H.H., SCHWINZER, B. & RESCH, K. Activated T-lymphocytes induce growth inhibition and prostaglandin E_2 release from syngeneic glomerular mesangial cells, 483
RAMPTON, D.S. *see* STEVENS, T.R.J.
RAO, K.V.S. *see* MISHRA, A.
RASOOL, O., NNALUE, N.A. & JARSTRAND, C. The role of O-antigen polysaccharide in the activation of neutrophils by lipopolysaccharides of *Salmonella* species, 63
RATANACHAIYAVONG, S. *see* EWINS, D.L.
REES, A.J. *see* KARKAR, A.M.
REINA, G. *see* VITALE, G.
RESCH, K. *see* RADEKE, H.H.
RESS, S.R. *see* LORGAT, F.
REUMAUX, D. *see* HALBWACHS-MECARELLI, L.
RINGWALD, P. *see* CHOUGNET, C.
RIZZARDI, G.P. *see* CAPSONI, F.
ROBBINS, J.M. *see* THORNTON, S.C.
ROCKMAN, S.P. *see* O'CONNELL, P.J.
ROELS, H. *see* CUVELIER, C.A.
ROJAS, M.E. *see* SANTANA-BLANK, L.A.
ROSTOKER, G., TERZIDIS, H., PETIT-PHAR, M., MEILLET, D., LANG, P., DUBERT, J.M., LAGRUE, G. & WEIL, B. Secretory IgA are elevated in both saliva and serum of patients with various types of primary glomerulonephritis, 305
RUMORE, P., MURALIDHAR, B., LIN, M., LAI, C. & STEINMAN, C.R. Haemodialysis as a model for studying endogenous plasma DNA: oligonucleosome-like structure and clearance, 56
RYDER, L.P. *see* GARRED, P.

SÄLLBERG, M. *see* LINDE, A.
SANSONI, P. *see* PAGANELLI, R.
SANTANA-BLANK, L.A., CASTES, M., ROJAS, M.E., VARGAS, F. & SCOTT-ALGARA, D. Evaluation of serum levels of tumour necrosis factor-alpha (TNF-α) and soluble IL-2 receptor (sIL-2R) and CD4, CD8 and natural killer (NK) populations during infrared pulsed laser device (IPLD) treatment, 43
SARGAN, D. *see* WATT, N.J.
SAVOLAINEN, H. *see* KLOCKARS, M.
SCALA, E. *see* PAGANELLI, R.
SCHLESIER, M. *see* BAUMERT, E.
SCHMIEDEKE, T., STOECKL, F., MULLER, S., SUGISAKI, Y., BATSFORD, S., WOITAS, R. & VOGT, A. Glomerular immune deposits in murine lupus models may contain histones, 453
SCHRECK, R., BEVEC, D., DUKOR, P., BAEUERLE, P.A., CHEDID, L. & BAHR, G.M. Selection of a muramyl peptide based on its lack of activation of nuclear factor-κB as a potential adjuvant for AIDS vaccines, 188
SCHWARTZ, R.S. *see* KNIGHT, B.
SCHWINZER, B. *see* RADEKE, H.H.
SCOTT-ALGARA, D. *see* SANTANA-BLANK, L.A.
SCOTT-ALGARA, D., VUILLIER, F., CAYOTA, A. & DIGHIERO, G. Natural killer (NK) cell activity during HIV infection: a decrease in NK activity is observed at the clonal level and is not restored after *in vitro* long-term culture of NK cells, 181
SEVER, R., COOK, T. & CATTELL, V. Urinary excretion of nitrite and

nitrate in experimental glomerulonephritis reflects systemic immune activation and not glomerular synthesis, 326
SHAFF, D.I. *see* MONTEFIORI, D.C.
SHAKOOR, Z. & HAMBLIN, A.S. Increased CD11/CD18 expression on peripheral blood leucocytes of patients with sarcoidosis, 99
SHARROCK, C. *see* EWINS, D.L.
SHENTON, B.K. *see* LIN, Y.
SHIBATA, A. *see* KODAMA, M.
SHIMIZU, F. *see* KAWACHI, H.
SHINGU, M., NONAKA, S., NISHIMUKAI, H., NOBUNAGA, M., KITAMURA, H. & TOMO-OKA, K. Activation of complement in normal serum by hydrogen peroxide and hydrogen peroxide-related oxygen radicals produced by activated neutrophils, 72
SHOENFELD, Y. *see* FISHMAN, P.
SJÖHOLM, A. *see* NILSSON, B.
SMITH, C.I. EDVARD *see* LINDE, A.
SMITH, J.W. & MCDONALD, T.L. Production of serum amyloid A and C-reactive protein by HepG2 cells stimulated with combinations of cytokines or monocyte conditioned media: the effects of prednisolone, 293
SO, A.K. *see* LUNARDI, C.
SÖDERSTRÖM, R. *see* LINDE, A.
SPARKES, B.G. *see* TEODORCZYK-INJEYAN, J.A.
SPRONK, P.E., BORG, E.J. TER, LIMBURG, P.C. & KALLENBERG, C.G.M. Plasma concentration of IL-6 in systemic lupus erythematosus; an indicator of disease activity?, 106
SREDNI, D. *see* FISHMAN, P.
STEINMAN, C.R. *see* RUMORE, P.
STEVENS, T.R.J., WINROW, V.R., BLAKE, D.R. & RAMPTON, D.S. Circulating antibodies to heat-shock protein 60 in Crohn's disease and ulcerative colitis, 271
STOECKL, F. *see* SCHMIEDEKE, T.
STOKES, C.R. *see* BISHOP, S.A.
STROKOV, A.G. *see* ANNENKOV, A.Y.
STURFELT, G. *see* NILSSON, B.
SUGISAKI, Y. *see* SCHMIEDEKE, T.
SUGITA, M. *see* MURAKAMI, M.
SUMIYA, M. *see* OKAWA-TAKATSUJI, M.
SVEJGAARD, A. *see* GARRED, P.

TAKEMURA, T. *see* YOSHIOKA, K.
TALLET, S. *see* CHOUGNET, C.
TALLET, S. *see* LEVACHER, M.
TAVERNE, J. *see* TAYLOR, K.
TAYLOR, K., BATE, C.A.W., CARR, R.E., BUTCHER, G.A., TAVERNE, J. & PLAYFAIR, J.H.L. Phospholipid-containing toxic malaria antigens induce hypoglycaemia, 1
TAYLOR, R.M.R. *see* LIN, Y.
TAYLOR, T.E., MOLYNEUX, M.E., WIRIMA, J.J., BORGSTEIN, A., GOLDRING, J.D. & HOMMEL, M. Intravenous immunoglobulin in the treatment of paediatric cerebral malaria, 357
TEMONEN, M. *see* WANGEL, A.G.
TEODORCZYK-INJEYAN, J.A., SPARKES, B.G., LALANI, S., PETERS, W.J. & MILLS, G.B. IL-2 regulation of soluble IL-2 receptor levels following thermal injury, 36
TERZIDIS, H. *see* ROSTOKER, G.
THIEL, S., HOLMSKOV, U., HVIID, L., LAURSEN, S.B. & JENSENIUS, J.C. The concentration of the C-type lectin, mannan-binding protein, in human plasma increases during an acute phase response, 31
THIEL, S. *see* GARRED, P.
THOMPSON, H.L. & MATSUSHIMA, K. Human polymorphonuclear leucocytes stimulated by tumour necrosis factor-alpha show increased adherence to extracellular matrix proteins which is mediated via the CD11b/18 complex, 280
THORNTON, S.C., ROBBINS, J.M., PENNY, R. & BREIT, S.N. Fibroblast growth factors in connective tissue disease associated interstitial lung disease, 447
TOMO-OKA, K. *see* SHINGU, M.
TOYABE, S. *see* KAWACHI, H.
TRÄG, T. *see* NÜSSLEIN, H.G.
TUNG, K. *see* LEVY, E.
TURK, J.L. *see* BAKER, D.

UENO, M. *see* ITO, S.
ULLERY, S. *see* LEVACHER, M.
UWATOKO, S. *see* OKAWA-TAKATSUJI, M.

VAHERI, A. *see* WANGEL, A.G.
VAN DE GRIEND, I.A. HAAGEN R., CLARK, M., GEERARS, A., BASE, B. & DE GAST, B. Killing of human leukaemia/lymphoma B cells by activated cytotoxic T lymphocytes in the presence of a bispecific monoclonal antibody (αCD3/αCD19), 368
VAN DER MEER-GERRITSEN, C.H. *see* VAN DE WIEL, B.A.
VAN DE WIEL, B.A., DOLMAN, K.M., VAN DER MEER-GERRITSEN, C.H., HACK, C.E., BORNE, A.E.G. KR. VON DEM & GOLDSCHMEDING, R. Interference of Wegener's granulomatosis autoantibodies with neutrophil Proteinase 3 activity, 409
VAN ES, L.A. *see* HALMA, C.
VAQUERO, E. *see* PERRICONE, R.
VARGAS, F. *see* SANTANA-BLANK, L.A.
VERGANI, D. *see* PEAKMAN, M.
VEYS, E.M. *see* CUVELIER, C.A.
VIORA, M. *see* PUGLIESE, O.
VITALE, G., REINA, G., MANSUETO, S., MALTA, R., GAMBINO, G., MOCCIARO, C., D'AGOSTINO, R., DIELI, M. & CILLARI, E. The significance of serum soluble IL-2 receptor as a marker for active visceral leishmaniasis in Sicilian patients, 219
VOGT, A. *see* SCHMIEDEKE, T.
VUILLIER, F. *see* SCOTT-ALGARA, D.

WALPORT, M.J. *see* LOIZOU, S.
WANGEL, A.G., TEMONEN, M., BRUMMER-KORVENKONTIO, M. & VAHERI, A. Anti-endothelial cell antibodies in nephropathia epidemica and other viral diseases, 13
WATRET, K.C. *see* BIRD, A.G.
WATT, N.J., MACINTYRE, N., COLLIE, D., SARGAN, D. & MCCONNELL, I. Phenotypic analysis of lymphocyte populations in the lungs and regional lymphoid tissue of sheep naturally infected with maedi visna virus, 204
WEETMAN, A.P. *see* LOIZOU, S.
WEIL, B. *see* ROSTOKER, G.
WEISSEL, M. *see* GISSLINGER, H.
WILLIAMS, N.A. *see* BISHOP, S.A.
WILSON, J. *see* HUSSAIN, L.A.
WINROW, V.R. *see* STEVENS, T.R.J.
WINTER, M. *see* NÜSSLEIN, H.G.
WIRIMA, J.J. *see* TAYLOR, T.E.
WOITAS, R. *see* SCHMIEDEKE, T.
WOLFF-VORBECK, G. *see* BAUMERT, E.
WOLOSZCZUK, W. *see* GISSLINGER, H.

YOKOHARI, R. *see* OKAWA-TAKATSUJI, M.
YOSHIOKA, K., HINO, S., TAKEMURA, T., MIYASATO, H., HONDA, E. & MAKI, S. Isolation and characterization of the tubular basement membrane antigen associated with human tubulo-interstitial nephritis, 319

ZANUSSI, C. *see* CAPSONI, F.
ZHANG, S. *see* KODAMA, M.
ZHOU, J. *see* MONTEFIORI, D.C.

Subject Index

Actinobacillus (Haemophilus) pleuropneumoniae, 223
activated T cells, 368
activated human T cells, 476
activation, 376
acute and chronic hepatitis, 194
acute phase proteins, 106
acute phase reactant, 31
adhesion, 111, 280
adhesion molecules, 25, 117
adjuvant arthritis, 459
adjuvants, 188
ageing, 351
AIDS, 175, 188, 376, 491
allograft, 111
alpha 2-macroglobulin, 312
$alpha_1$-antitrypsin, 409
alveolar lymphocytes, 18
alveolar macrophages, 447
amino acid sequence, 319
ANCA, 79, 228
anti-DNA antibodies, 428
anti-DNA antibody, 245
anti-M2, 509
anti-RNP antibodies, 415
anti-cardiolipin antibodies, 266
anti-cathepsin G antibodies, 79
anti-endothelial cell antibodies, 13
anti-idiotypic anti-DNA, 428
anti-phospholipid syndrome, 266
anti-receptor antibodies, 428
anti-tubular basement membrane antibody, 319
antibodies, 428, 503
antibody reactivity, 194
anticardiolipin antibodies, 434
antigen, 260
asbestos, 68
autoantibodies, 266, 459, 466
autoantibody, 422
autoantibody production, 245
autoimmune myocarditis, 330
autoimmunity, 56, 85, 266, 483
autoreactive T cell, 245
autoreactivity, 170

B cell specific expression, 141
B lymphocytes, 351
B-1 cells, 345
beta-endorphin, 401
bilirubin, 88
bispecific monoclonal antibodies, 368
bronchoalveolar lavage, 223
burn immunosuppression, 36

C-ANCA, 409
C-reactive protein, 31, 293
C3, 394
CD11/CD18, 99
CD38, 376
CD4, 539
CD4 cells, 376
$CD4^+$ T cells, 147
$CD4^+$ cells, 497
CD45R isoforms, 345
CD8 cells, 376
$CD8^+$ T cells, 147
$CD8^+$ T lymphocyte, 390
$CD8^+$ cells, 260, 497
CR2, 235
cancer, 43
cardiac myosin, 330
cDNA, 141
cell adhesion, 235, 300
cellular immunity, 215
cellular immunology, 336
centenarians, 351
central nervous system, 124
cerebral malaria, 357
cervico-vaginal mucosa, 530
chemiluminescence, 228
cholestasis, 88
chondrocytes, 336
cloned NK cells, 181
common variable immunodeficiency, 25
complement, 517
complement activation, 72, 251
complement deficiency, 394
complement receptor type 1 (CR1, CD35), 394
connective tissue diseases, 447
corticosteroids, 293
Crohn's disease, 79, 271, 275, 503
cuprophane, 49
cyclophilin, 422
cystic fibrosis, 209
cystic ovaries, 401
cytofluorometry, 43
cytokine, 111, 161
cytokine gene, 147
cytokines 43, 106, 266, 293, 497
cytotoxicity, 368

DNA receptor, 428
deficiency, 517
dendritic cells, 117
differentiation marker, 154

endoglin, 154
endothelial cell, 154
endothelial cells, 300
epithelial cell, 111
Epstein–Barr virus, 199, 415
experimental allergic encephalomyelitis, 124

falciparum, 405
Fc receptors, 175
$Fc\gamma R$, 530
feline immunodeficiency virus, 491
fetal blood, 345
fetal lymphocytes, 345
fibroblast growth factors, 447
fibronectin, 447

GM-CSF, 266
giant cell, 330
glomerular mesangial cells, 483
glomerulonephritis, 326, 483
Gm allotypes, 199
Gm types, 209
graft-*versus*-host disease, 466
graft-*versus*-host reaction, 260
Graves' disease, 93

haematopoietic growth factor, 161
haemodialysis, 49

haemorrhage, 497
Hashimoto's thyroiditis, 93
heat-shock protein, 271
HepG2, 293
hepatitis B virus, 194
hereditary angioedema, 401
HHV-6, 199
high-density B cell, 245
histone peptide antibodies, 453
histones, 453
HIV, 6, 170, 376, 530
HIV infection, 181
HIV receptors, 383
HLA class II, 170, 530
HLA-DR, 376
Hodgkin's cells, 117
human immunoglobulin, 135
human *mb-1*, 141
human ovarian follicular fluid, 401
hydrocortisone, 286
hydrogen peroxide, 72
hypochlorite, 72
hypoglycaemia, 1
hypothyroidism, 363

ICAM-1, 111
idiopathic nephrotic syndrome, 305
idiotypic mimicry, 428
IFN-α, 363
IFN-γ, 483
IgA, 256
IgA HSP-60 antibodies, 271
IgA mesangial glomerulonephritis, 305
IgA monomer/polymer ratio, 305
IgE synthesis, 286
IgG, 251
IgG aggregates, 394
IgG subclass, 434
IgG subclasses, 199, 209, 351
IgG3 deficiency, 199
IgM, 251
IL-1, 13, 522
IL-10, 497
IL-2, 6, 36, 219, 266, 497
IL-2 receptor, 336
IL-3, 266
IL-4, 497
IL-6, 106, 522
ileitus, 275
immune complexes, 88, 394
immunization, 223
immunoconglutinins, 251
immunoelectron microscopy, 319
immunoglobulins, 351
immunohistochemistry, 330
immunopathogenesis, 383
immunosuppression, 124, 260
immunotherapy, 357
infection-enhancement, 383
inflammatory bowel disease, 85
integrins, 280
interferon-gamma, 13, 175, 497, 522
interleukin-1α and β, 312
interleukin-4, 286
interstitial lung disease, 18, 447
intravenous immunoglobulins, 357

Langerhans cells, 530
laser, 43
lectins, 517
leishmaniasis, 219
lentiviruses, 18
LeuCAM, 99
leucocytes, 99
leukotrienes, 300
LFA-3, 111
limiting dilution analysis, 415
lipopolysaccharide, 312, 539
lipopolysaccharides, 63
longitudinal, 106
lung, 204
Lyme disease, 422
lymphocyte, 204
lymphocyte activation, 390
lymphocyte development, 390
lymphocyte proliferation, 215
lymphocyte subsets, 376, 405
lymphocyte surface molecules, 25
lymphokine, 161
lymphokines, 266
lymphoproliferation, 6
lysozyme release, 63

macrophage, 129, 154
malaria, 1, 405
malignant B cells, 368
mannan binding protein, 31, 517
mannose-binding protein, 31
membrane immunoglobulin, 141
membranous nephropathy, 305
mesangial sclerosis, 129
MHC antigens, 336
MHC class I, 260
mitochondrial antigens, 509
mitoxantrone, 124
MoAb, 129
monoclonal antibody, 154
monocyte, 49, 539
monocytes, 175
MRL/*lpr* mouse, 466
mRNA, 147
mucosal fluids, 256
multifollicular ovaries, 401
multiple sclerosis, 124
muramyl peptides, 188
murine lupus, 260
murine lupus nephritis, 452
mycobacteria, 503
myeloproliferative and myelodysplastic syndromes, 363

naturally occurring mitochondrial antibodies, 509
neoplasia, 56
nephropathia epidemica, 13
nephrotoxic antibody, 312
neutralizing antibodies, 85
neutrophil, 228
neutrophil activation, 63
neutrophils, 72, 79, 175, 300
NF-κB, 188
nitrate, 326
nitric oxide, 326
nitrite, 326
NK activity, 181
node, 204
non-T cells, 286
nucleosome, 56

oxidative metabolism, 63

P. aeruginosa antigens, 209
paratuberculosis, 503
PDGF, 447
peptides, 194
phospholipids, 1
pig, 223
plant mitochondria, 509
pneumococcus, 199
polycystic ovaries, 401

polymerase chain reaction, 147
polymorphism, 517
polymorphonuclear leucocytes, 280
primary biliary cirrhosis, 88
primary sclerosing colangitis, 79
priming, 491
prostaglandin E_2, 483
Proteinase 3, 409
proteinuria, 129
pyruvate dehydrogenase, 509

quartz, 68

randomized controlled trials, 357
reactive oxygen metabolites, 68
receptor, 161
recombinant autoantigen, 93
reverse transcription, 147
rheumatoid arthritis, 256, 440
rheumatoid factor, 256

sarcoidosis, 99
SCID mice, 135
SCID mouse, 466, 476
scleroderma, 447
secretory IgA, 305
serology, 503
serum amyloid A, 293
severe combined immunodeficiency, 390
sheep, 204
signal transduction, 161
sIL-2R, 43, 219
SLE, 235, 434
spondylarthropathy, 275
syphilis, 434
systemic lupus erythematosus, 56, 106, 135, 245, 251, 422

T cell activation, 36, 170
T cell proliferative responses, 194
T cell receptor, 275, 440
T cell responses, 93
T cell subpopulations, 25
T cells, 286, 497
T lymphocyte, 235, 459, 491
T lymphocytes, 483
T-cell dependent B cell response, 135
TCR-$\gamma\delta^+$ lymphocytes, 345
Th1, 497
Th2, 497
thrombin, 300
thyroid autoimmunity, 363
thyroid peroxidase, 93
time-course, 147
TNF-α, 447
toxic antigens, 1
tuberculin-induced delayed-type hypersensitivity, 522
tuberculous effusions, 215
tubular basement membrane, 319
tumour necrosis factor, 68, 99, 280
Tumour necrosis factor-alpha, 13, 43, 49, 312, 483, 522

ubiquitin, 453
ulcerative colitis, 79, 271

V gene usage, 440
vaccines, 188
vasculitis, 228
viral diseases, 13
visna, 204
visna-maedi virus, 18
von Willebrand factor antigen, 88

xenogeneic transplantation, 135
xenotransplantation, 476